Additional Foreign References for IDS ETH5072

L17 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2002 ACS

Full Text 1989:484147 CAPLUS AN DN 111:84147 Hemostatic adhesives for oral surgery TI Mozisek, Maxmilian; Cerny, Pavel; Smekal, Miroslav; Prikryl, Ivan IN PA Czech. Czech., 9 pp. SO CODEN: CZXXA9 DT Patent Czech LА IC ICM A61K006-00 ICS A61L015-04 ICA A61K009-02 CC 63-7 (Pharmaceuticals) FAN.CNT 1 PATENT NO. KIND DATE APPLICATION NO. DATE ΡI CS 238016 B1 19851113 CS 1982-3748 19820521 AΒ Hemostatic pastes are prepd. from 20-90% powd. or fibrous hemostatic (e.g., CM-cellulose and/or microcryst. collagen) and 5-80% hydrophilic hemostatic adhesive (e.g., hydroxyethylcellulose, methylhydroxyethyl cellulose). The pastes are useful in oral surgery. Porous compact hemostatics for tooth were prepd. from a CM-cellulose-based mixt. CM-cellulose (contg. 16% COOH group converted to a Ca salt) was prepd. by selective oxidn. of cotton gauze, removal of a water-sol., low-mol. position, and processing to fibers 1-3 mm long. The mixt. consisted of CM-cellulose 80, hydroxyethyl cellulose adhesive (purity ≥99.5%, av. substitution degree 1.2) 18, and ethoxylated sorbitol oleate (as solubilization additive) 2%. After prepg. the molded pastes, the hydroxyethyl cellulose was crosslinked by using ionization irradn. The microporous structure with a high sorption ability was attained by using vacuum sublimation. The resulting products were encased and sterilized by using ionization radiation. hemostatic paste CM cellulose tooth ST